

Package ‘hSDM’

July 1, 2014

Type Package

Title hierarchical Bayesian species distribution models

Version 1.4

Date 2013-10-15

VignetteBuilder knitr

Imports coda

Suggests knitr, raster, sp

Author Ghislain Vieilledent, Cory Merow, Jérôme Guélat, Andrew M. Lattimer, Marc Kéry, Alan E. Gelfand, Adam M. Wilson, Frédéric Mortier and John A. Silander Jr.

Maintainer Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

Description hSDM is an R package for estimating parameters of hierarchical Bayesian species distribution models. Such models allow interpreting the observations (occurrence and abundance of a species) as a result of several hierarchical processes including ecological processes (habitat suitability, spatial dependence and anthropogenic disturbance) and observation processes (species detectability). Hierarchical species distribution models are essential for accurately characterizing the environmental response of species, predicting their probability of occurrence, and assessing uncertainty in the model results.

License GPL-3 | file LICENSE

URL <http://hSDM.sf.net>

LazyLoad yes

Encoding UTF-8

R topics documented:

hSDM-package	2
altitude	3
cfr.env	4
data.Kery2010	5
datacells.Latimer2006	6
hSDM.binomial	7
hSDM.binomial.iCAR	10
hSDM.Nmixture	17
hSDM.Nmixture.iCAR	22
hSDM.poisson	31
hSDM.poisson.iCAR	34
hSDM.siteocc	40
hSDM.siteocc.iCAR	45
hSDM.ZIB	53
hSDM.ZIB.iCAR	58
hSDM.ZIB.iCAR.alteration	65
hSDM.ZIP	73
hSDM.ZIP.iCAR	77
hSDM.ZIP.iCAR.alteration	84
logit	92
neighbors.Latimer2006	93
punc10	94
Index	95

hSDM-package

hierarchical Bayesian species distribution models

Description

hSDM is an R package for estimating parameters of hierarchical Bayesian species distribution models. Such models allow interpreting the observations (occurrence and abundance of a species) as a result of several hierarchical processes including ecological processes (habitat suitability, spatial dependence and anthropogenic disturbance) and observation processes (species detectability). Hierarchical species distribution models are essential for accurately characterizing the environmental response of species, predicting their probability of occurrence, and assessing uncertainty in the model results.

Details

Package: hSDM
 Type: Package
 Version: 1.3
 Date: 2013-10-15
 License: GPL-3
 LazyLoad: yes

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>
Cory Merow <cory.merow@gmail.com>
Jérôme Guélat <jerome.guelat@vogelwarte.ch>
Andrew M. Latimer <amlatimer@ucdavis.edu>
Marc Kéry <marc.kery@vogelwarte.ch>
Alan E. Gelfand <alan@stat.duke.edu>
Adam M. Wilson <adam.wilson@yale.edu>
Frédéric Mortier <frederic.mortier@cirad.fr>
John A. Silander Jr. <john.silander@uconn.edu>

altitude

Virtual altitudinal data

Description

Data frame with virtual altitudinal data. The data frame is used in the examples of the hSDM package vignette to derive an altitude raster determining species habitat suitability.

Usage

```
altitude
```

Format

altitude is a data frame with 2500 observations (50 x 50 cells) and 3 variables:

x coordinates of the center of the cell on the x axis

y coordinates of the center of the cell on the y axis

altitude altitude (m)

`cfr.env`*Environmental data for South Africa's Cap Floristic Region*

Description

Data include environmental variables for 36909 one minute by one minute grid cells on the whole South Africa's Cap Floristic Region.

Usage`cfr.env`**Format**

`cfr.env` is a data frame with 36909 observations (cells) on the following six environmental variables.

`lon` longitude

`lat` latitude

`min07` minimum temperature of the coldest month (July)

`smdwin` winter soil moisture days

`fert3` moderately high fertility (percent of grid cell)

`ph1` acidic soil (percent of grid cell)

`text1` fine soil texture (percent of grid cell)

`text2` moderately fine soil texture (percent of grid cell)

Source

Cory Merow's personal data

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

data.Kery2010	NA
---------------	----

Description

Repeated count data for the Willow tit (*Poecile montanus*, a pesserine bird) in Switzerland on the period 1999-2003. Data come from the Swiss national breeding bird survey MHB (Monitoring Häufige Brutvögel).

Usage

data.Kery2010

Format

data.Kery2010 is a data frame with 264 observations (1 km² quadrats) and the following 10 variables.

coordx quadrat x coordinate

coordy quadrat y coordinate

elevation mean quadrat elevation (m)

forest quadrat forest cover (in %)

count1 count for survey 1

count2 count for survey 2

count3 count for survey 3

juldate1 Julian date of survey 1

juldate2 Julian date of survey 2

juldate3 Julian date of survey 3

Source

Kéry and Royle, 2010, *Journal of Animal Ecology*, 79, 453-461.

References

Kéry, M. and Andrew Royle, J. 2010. Hierarchical modelling and estimation of abundance and population trends in metapopulation designs. *Journal of Animal Ecology*, 79, 453-461.

datacells.Latimer2006 *Data of presence-absence (from Latimer et al. 2006)*

Description

Data come from a small region including 476 one minute by one minute grid cells. This region is a small corner of South Africa's Cape Floristic Region, and includes very high plant species diversity and a World Biosphere Reserve. The data frame can be used as an example for several functions in the hSDM package.

Usage

```
datacells.Latimer2006
```

Format

datacells.Latimer2006 is a data frame with 476 observations (cells) on the following 9 variables.

y the number of times the species was observed to be present in each cell

n the number of visits or sample locations in each cell (which can be zero)

rough elevational range or "roughness"

julmint July minimum temperature

pptcv interannual variation in precipitation

smdsum summer soil moisture days

evi enhanced vegetation or "greenness" index

ph1 percent acidic soil

num number of neighbors of each cell, this is a sparse representation of the adjacency matrix for the subregion.

Source

Latimer et al. (2006) *Ecological Applications*, Appendix B

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

hSDM.binomial

*Binomial logistic regression model***Description**

The hSDM.binomial function performs a Binomial logistic regression in a Bayesian framework. The function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of model's parameters.

Usage

```
hSDM.binomial(presences, trials, suitability, data,
suitability.pred = NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, mubeta = 0, Vbeta = 1e+06, seed = 1234, verbose = 1, save.p
= 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_n should be superior or equal to y_n , the number of successes for observation n . If $t_n = 0$, then $y_n = 0$.
suitability	A one-sided formula of the form ' $\sim x_1 + \dots + x_p$ ' with p terms specifying the explicative variables for the suitability process of the model.
data	A data frame containing the model's explicative variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for beta parameters of the suitability process. If beta.start takes a scalar value, then that value will serve for all of the betas.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

seed	The seed for the random number generator. Default to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the theta.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model an ecological process where the presence or absence of the species is explained by habitat suitability.

Ecological process:

$$y_i \sim \text{Binomial}(\theta_i, t_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i \beta, t_i))$, is also provided.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```

## Not run:

#####
# hSDM.binomial()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation

# Number of sites
nsite <- 200

# Set seed for repeatability
seed <- 1234

# Number of visits associated to each site
set.seed(seed)
visits<- rpois(nsite,3)
visits[visits==0] <- 1

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
logit.theta <- X %*% beta.target
theta <- inv.logit(logit.theta)
set.seed(seed)
Y <- rbinom(nsite,visits,theta)

# Data-sets
data.obs <- data.frame(Y,visits,x1,x2)

#####
#== Site-occupancy model

mod.hSDM.binomial <- hSDM.binomial(presences=data.obs$Y,
                                   trials=data.obs$visits,
                                   suitability=~x1+x2,
                                   data=data.obs,
                                   suitability.pred=NULL,
                                   burnin=1000, mcmc=1000, thin=1,
                                   beta.start=0,

```

```

                                mubeta=0, Vbeta=1.0E6,
                                seed=1234, verbose=1,
                                save.p=0)

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.binomial$mcmc)
pdf(file="Posteriors_hSDM.binomial.pdf")
plot(mod.hSDM.binomial$mcmc)
dev.off()

#== glm resolution to compare
mod.glm <- glm(cbind(Y,visits-Y)~x1+x2,family="binomial",data=data.obs)
summary(mod.glm)

#= Predictions
summary(mod.hSDM.binomial$theta.latent)
summary(mod.hSDM.binomial$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.binomial$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.binomial.iCAR *Binomial logistic regression model with CAR process*

Description

The `hSDM.binomial.iCAR` function performs a Binomial logistic regression model in a hierarchical Bayesian framework. The suitability process includes a spatial correlation process. The spatial correlation is modelled using an intrinsic CAR model. The `hSDM.binomial.iCAR` function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.binomial.iCAR(presences, trials, suitability,
spatial.entity, data, n.neighbors, neighbors, suitability.pred=NULL,
spatial.entity.pred=NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, Vrho.start, mubeta = 0, Vbeta = 1e+06, priorVrho =
"1/Gamma", shape = 0.5, rate = 0.0005, Vrho.max=1000, seed = 1234,
verbose = 1, save.rho = 0, save.p = 0)

```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the theta.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model an ecological process where the presence or absence of the species is explained by habitat suitability. The ecological process includes an intrinsic conditional autoregressive (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$y_i \sim \text{Binomial}(\theta_i, t_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Lichstein, J. W.; Simons, T. R.; Shriener, S. A. & Franzreb, K. E. (2002) Spatial autocorrelation and autoregressive models in ecology *Ecological Monographs*, 72, 445-463.
- Diez, J. M. & Pulliam, H. R. (2007) Hierarchical analysis of species distributions and abundance across environmental gradients *Ecology*, 88, 3144-3152.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.binomial.iCAR()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)
```

```

library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p),ncol=p)%*%D+rep(mu,rep(n,p)))
}

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Landscape
xLand <- 30
yLand <- 30
Landscape <- raster(ncol=xLand,nrow=yLand,crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0,xLand,0,yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncells,ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
Vrho.target <- 5
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

```



```

mubeta=0, Vbeta=1.0E6,
priorVrho="1/Gamma",
shape=0.5, rate=0.0005,
seed=1234, verbose=1,
save.rho=1, save.p=0)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

#= Computation time
Time.hSDM

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.binomial.iCAR$mcmc)
pdf("Posteriors_hSDM.binomial.iCAR.pdf")
plot(mod.hSDM.binomial.iCAR$mcmc)
dev.off()

#= Predictions
summary(mod.hSDM.binomial.iCAR$theta.latent)
summary(mod.hSDM.binomial.iCAR$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.binomial.iCAR$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

#= Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.binomial.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.binomial.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

```



```
## End(Not run)
```

hSDM.Nmixture	<i>N</i> -mixture model
---------------	-------------------------

Description

The hSDM.Nmixture function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Poisson* suitability process (referring to environmental suitability explaining abundance) and a *Binomial* observability process (referring to various ecological and methodological issues explaining species detection). The hSDM.Nmixture function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.Nmixture(# Observations
               counts, observability, site, data.observability,
               # Habitat
               suitability, data.suitability,
               # Predictions
               suitability.pred = NULL,
               # Chains
               burnin = 5000, mcmc = 10000, thin = 10,
               # Starting values
               beta.start,
               gamma.start,
               # Priors
               mubeta = 0, Vbeta = 1.0E6,
               mugamma = 0, Vgamma = 1.0E6,
               # Various
               seed = 1234, verbose = 1,
               save.p = 0, save.N = 0)
```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
site	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
data.observability	A data frame containing the model's variables for the observability process.

suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
data.suitability	A data frame containing the model's variables for the suitability process.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.
save.N	A switch (0,1) which determines whether or not the sampled values for the latent count variable N for each observed cells are saved. Default is 0: the mean (rounded to the closest integer) is computed and returned in the N.pred vector. Be careful, setting save.N to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the abundance of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$N_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta$$

Observation process:

$$y_{it} \sim \text{Binomial}(N_i, \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
N.pred	If save.N is set to 0 (default), N.pred is the posterior mean (rounded to the closest integer) of the latent count variable N for each observed cell. If save.N is set to 1, N.pred is an mcmc object with sampled values of the latent count variable N for each observed cell.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Royle, J. A. (2004) N-mixture models for estimating population size from spatially replicated counts. *Biometrics*, 60, 108-115.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.Nmixture()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation

# Number of observation sites
nsite <- 200

# Set seed for repeatability
seed <- 4321

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1) # Target parameters
log.lambda <- X %*% beta.target
lambda <- exp(log.lambda)
set.seed(seed)
N <- rpois(nsite,lambda)

# Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

# Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
```

```

set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1) # Target parameters
logit.delta <- W %*% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,N[sites],delta)

# Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2)

#====
#== Parameter inference with hSDM

Start <- Sys.time() # Start the clock
mod.hSDM.Nmixture <- hSDM.Nmixture(# Observations
                                counts=data.obs$Y,
                                observability=~w1+w2,
                                site=data.obs$site,
                                data.observability=data.obs,
                                # Habitat
                                suitability=~x1+x2,
                                data.suitability=data.suit,
                                # Predictions
                                suitability.pred=NULL,
                                # Chains
                                burnin=5000, mcmc=5000, thin=5,
                                # Starting values
                                beta.start=0,
                                gamma.start=0,
                                # Priors
                                mubeta=0, Vbeta=1.0E6,
                                mugamma=0, Vgamma=1.0E6,
                                # Various
                                seed=1234, verbose=1,
                                save.p=0, save.N=1)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

# Computation time
Time.hSDM

#====
#== Outputs

# Parameter estimates
summary(mod.hSDM.Nmixture$mcmc)
pdf(file="Posteriors_hSDM.Nmixture.pdf")
plot(mod.hSDM.Nmixture$mcmc)
dev.off()

# Predictions

```

```

summary(mod.hSDM.Nmixture$lambda.latent)
summary(mod.hSDM.Nmixture$delta.latent)
summary(mod.hSDM.Nmixture$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.Nmixture$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

# = MCMC for latent variable N
pdf(file="MCMC_N.pdf")
plot(mod.hSDM.Nmixture$N.pred)
dev.off()

# = Check that Ns are correctly estimated
M <- as.matrix(mod.hSDM.Nmixture$N.pred)
N.est <- apply(M,2,mean)
Y.by.site <- tapply(data.obs$Y,data.obs$site,mean) # Mean by site
pdf(file="Check_N.pdf",width=10,height=5)
par(mfrow=c(1,2))
plot(Y.by.site, N.est) ## More individuals are expected (N > Y) due to detection process
abline(a=0,b=1,col="red")
plot(N, N.est) ## N are well estimated
abline(a=0,b=1,col="red")
cor(N, N.est) ## Very close to 1
dev.off()

## End(Not run)

```

hSDM.Nmixture.iCAR *N-mixture model with CAR process*

Description

The `hSDM.Nmixture.iCAR` function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Poisson* suitability process (referring to environmental suitability explaining abundance) which takes into account the spatial dependence of the observations, and a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The `hSDM.Nmixture.iCAR` function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.Nmixture.iCAR(# Observations
                    counts, observability, site, data.observability,
                    # Habitat
                    suitability, data.suitability,

```

```

# Spatial structure
spatial.entity,
n.neighbors, neighbors,
# Predictions
suitability.pred = NULL, spatial.entity.pred = NULL,
# Chains
burnin = 5000, mcmc = 10000, thin = 10,
# Starting values
beta.start,
gamma.start,
Vrho.start,
# Priors
mubeta = 0, Vbeta = 1.0E6,
mugamma = 0, Vgamma = 1.0E6,
priorVrho = "1/Gamma",
shape = 0.5, rate = 0.0005,
Vrho.max = 1000,
# Various
seed = 1234, verbose = 1,
save.rho = 0, save.p = 0, save.N = 0)

```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
site	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
data.observability	A data frame containing the model's variables for the observability process.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
data.suitability	A data frame containing the model's variables for the suitability process. The number of rows of the data frame should be equal to the total number of spatial entities.
spatial.entity	A vector (of length 'nsite') indicating the spatial entity identifier for each site. Values must be between 1 and the total number of spatial entities. Several sites can be found in one spatial entity. A spatial entity can be a raster cell for example.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... ,</code>

	neighbors of the last entity). Length of the neighbors vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the data frame <code>data.suitability</code> for observations is used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to $1.0E6$ for an uninformative flat prior.
<code>mugamma</code>	Means of the Normal priors for the γ parameters of the observability process. <code>mugamma</code> must be either a scalar or a p -length vector. If <code>mugamma</code> takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
<code>Vgamma</code>	Variances of the Normal priors for the γ parameters of the observability process. <code>Vgamma</code> must be either a scalar or a p -length vector. If <code>Vgamma</code> takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to $1.0E6$ for an uninformative flat prior.
<code>priorVrho</code>	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution (" $1/\text{Gamma}$ ") with parameters <code>shape</code> and <code>rate</code> , or to a uniform distribution ("Uniform") on the interval <code>[0,Vrho.max]</code> . Default set to " $1/\text{Gamma}$ ".
<code>shape</code>	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is <code>shape=0.05</code> for uninformative prior.
<code>rate</code>	The rate ($1/\text{scale}$) parameter for the Gamma prior on the precision of the spatial random effects. Default value is <code>rate=0.0005</code> for uninformative prior.

Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.
save.N	A switch (0,1) which determines whether or not the sampled values for the latent count variable N for each observed cells are saved. Default is 0: the mean (rounded to the closest integer) is computed and returned in the N.pred vector. Be careful, setting save.N to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the abundance of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the abundance of the species at one site depends on the abundance of the species on neighboring sites.

Ecological process:

$$N_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta + \rho_i$$

ρ_i : spatial random effect

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_i \sim \text{Normal}(\mu_i, V_\rho/n_i)$$

μ_i : mean of $\rho_{i'}$ in the neighborhood of i .

V_ρ : variance of the spatial random effects.

n_i : number of neighbors for spatial entity i .

Observation process:

$$y_{it} \sim \text{Binomial}(N_i, \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
N.pred	If save.N is set to 0 (default), N.pred is the posterior mean (rounded to the closest integer) of the latent count variable N for each observed cell. If save.N is set to 1, N.pred is an mcmc object with sampled values of the latent count variable N for each observed cell.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Royle, J. A. (2004) N-mixture models for estimating population size from spatially replicated counts. *Biometrics*, 60, 108-115.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.Nmixture.iCAR()
# Example with simulated data
```

```

#####

#####
#== Load libraries
library(hSDM)
library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p), ncol=p)%*%D+rep(mu, rep(n,p)))
}

#####
#== Data simulation

# Set seed for repeatability
seed <- 4321

# Landscape
xLand <- 20
yLand <- 20
Landscape <- raster(ncol=xLand, nrow=yLand, crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0, xLand, 0, yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0, ncells, ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
  A[i, adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
Vrho.target <- 5
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR

```

```

Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Raster and plot spatial effects
r.rho <- rasterFromXYZ(cbind(coords,rho))
plot(r.rho)

# Sample the observation sites in the landscape
nsite <- 150
set.seed(seed)
x.coord <- runif(nsite,0,xLand)
set.seed(2*seed)
y.coord <- runif(nsite,0,yLand)
sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
log.lambda <- X %*% beta.target + rho[cells]
lambda <- exp(log.lambda)
set.seed(seed)
N <- rpois(nsite,lambda)

# Relative importance of spatial random effects
RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
RImp

# Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

# Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1)

```

```

logit.delta <- W %%% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,N[sites],delta)

# Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2,cell=cells)

#====
#== Parameter inference with hSDM

Start <- Sys.time() # Start the clock
mod.hSDM.Nmixture.iCAR <- hSDM.Nmixture.iCAR(# Observations
      counts=data.obs$Y,
      observability=~w1+w2,
      site=data.obs$site,
      data.observability=data.obs,
      # Habitat
      suitability=~x1+x2, data.suitability=data.suit,
      # Spatial structure
      spatial.entity=data.suit$cell,
      n.neighbors=n.neighbors, neighbors=adj,
      # Predictions
      suitability.pred=NULL,
      spatial.entity.pred=NULL,
      # Chains
      burnin=5000, mcmc=5000, thin=5,
      # Starting values
      beta.start=0,
      gamma.start=0,
      Vrho.start=1,
      # Priors
      mubeta=0, Vbeta=1.0E6,
      mugamma=0, Vgamma=1.0E6,
      priorVrho="1/Gamma",
      shape=0.5, rate=0.005,
      Vrho.max=10,
      # Various
      seed=1234, verbose=1,
      save.rho=1, save.p=0, save.N=1)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

# Computation time
Time.hSDM

#====
#== Outputs

# Parameter estimates
summary(mod.hSDM.Nmixture.iCAR$mcmc)
pdf(file="Posteriors_hSDM.Nmixture.iCAR.pdf")
plot(mod.hSDM.Nmixture.iCAR$mcmc)

```

```

dev.off()

# Predictions
summary(mod.hSDM.Nmixture.iCAR$lambda.latent)
summary(mod.hSDM.Nmixture.iCAR$delta.latent)
summary(mod.hSDM.Nmixture.iCAR$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.Nmixture.iCAR$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

# MCMC for latent variable N
pdf(file="MCMC_N.pdf")
plot(mod.hSDM.Nmixture.iCAR$N.pred)
dev.off()

# Check that Ns are correctly estimated
M <- as.matrix(mod.hSDM.Nmixture.iCAR$N.pred)
N.est <- apply(M,2,mean)
Y.by.site <- tapply(data.obs$Y,data.obs$site,mean) # Mean by site
pdf(file="Check_N.pdf",width=10,height=5)
par(mfrow=c(1,2))
plot(Y.by.site, N.est) ## More individuals are expected (N > Y) due to detection process
abline(a=0,b=1,col="red")
plot(N, N.est) ## N are well estimated
abline(a=0,b=1,col="red")
cor(N, N.est) ## Very close to 1
dev.off()

# Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.Nmixture.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.Nmixture.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")

```

```
dev.off()

## End(Not run)
```

hSDM.poisson	<i>Poisson log regression model</i>
--------------	-------------------------------------

Description

The hSDM.poisson function performs a Poisson log regression in a Bayesian framework. The function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of model's parameters.

Usage

```
hSDM.poisson(counts, suitability, data, suitability.pred = NULL,
burnin = 5000, mcmc = 10000, thin = 10, beta.start, mubeta = 0, Vbeta =
1e+06, seed = 1234, verbose = 1, save.p = 0)
```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
suitability	A one-sided formula of the form '~x1+...+xp' with p terms specifying the explicative covariates for the suitability process of the model.
data	A data frame containing the model's explicative variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for beta parameters of the suitability process. If beta.start takes a scalar value, then that value will serve for all of the betas.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p-length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p-length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

seed	The seed for the random number generator. Default to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model the abundance of the species as a function of environmental variables.

Ecological process:

$$y_i \sim \text{Poisson}(\lambda_i)$$

$$\log(\lambda_i) = X_i\beta$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, n_i \beta))$, is also provided.
lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

See Also

[plot.mcmc](#), [summary.mcmc](#)


```

# = Parameter estimates
summary(mod.hSDM.poisson$mcmc)
pdf(file="Posteriors_hSDM.poisson.pdf")
plot(mod.hSDM.poisson$mcmc)
dev.off()

# = glm resolution to compare
mod.glm <- glm(Y~x1+x2,family="poisson",data=data.obs)
summary(mod.glm)

# = Predictions
summary(mod.hSDM.poisson$lambda.latent)
summary(mod.hSDM.poisson$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.poisson$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.poisson.iCAR *Poisson log regression model with CAR process*

Description

The hSDM.poisson.iCAR function performs a Poisson log regression in a hierarchical Bayesian framework. The suitability process includes a spatial correlation process. The spatial correlation is modelled using an intrinsic CAR model. The hSDM.poisson.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.poisson.iCAR(counts, suitability, spatial.entity, data,
n.neighbors, neighbors, suitability.pred=NULL, spatial.entity.pred=NULL,
burnin = 5000, mcmc = 10000, thin = 10, beta.start, Vrho.start, mubeta =
0, Vbeta = 1e+06, priorVrho = "1/Gamma", shape = 0.5, rate = 0.0005,
Vrho.max=1000, seed = 1234, verbose = 1, save.rho = 0, save.p = 0)

```

Arguments

counts	A vector indicating the count (or abundance) for each observation.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.

<code>spatial.entity</code>	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
<code>data</code>	A data frame containing the model's variables.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to <code>1.0E6</code> for an uninformative flat prior.
<code>priorVrho</code>	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution (" <code>1/Gamma</code> ") with parameters <code>shape</code> and <code>rate</code> , or to a uniform distribution (" <code>Uniform</code> ") on the interval <code>[0,Vrho.max]</code> . Default set to " <code>1/Gamma</code> ".
<code>shape</code>	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is <code>shape=0.05</code> for uninformative prior.
<code>rate</code>	The rate (<code>1/scale</code>) parameter for the Gamma prior on the precision of the spatial random effects. Default value is <code>rate=0.0005</code> for uninformative prior.

Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

We model an ecological process where the abundance of the species is explained by habitat suitability. The ecological process includes an intrinsic conditional autoregressive (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$y_i \sim \text{Poisson}(\lambda_i, t_i)$$

$$\log(\lambda_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.

lambda.pred	If save.p is set to 0 (default), lambda.pred is the predictive posterior mean of the abundance associated to the suitability process for each prediction. If save.p is set to 1, lambda.pred is an mcmc object with sampled values of the abundance associated to the suitability process for each prediction.
lambda.latent	Predictive posterior mean of the abundance associated to the suitability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

Lichstein, J. W.; Simons, T. R.; Shriner, S. A. & Franzreb, K. E. (2002) Spatial autocorrelation and autoregressive models in ecology *Ecological Monographs*, 72, 445-463.

Diez, J. M. & Pulliam, H. R. (2007) Hierarchical analysis of species distributions and abundance across environmental gradients *Ecology*, 88, 3144-3152.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.poisson.iCAR()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)
library(raster)
library(sp)

#####
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
}
```

```

    D <- chol(V)
    set.seed(seed)
    t(matrix(rnorm(n*p),ncol=p)%*%D+rep(mu,rep(n,p)))
  }

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Landscape
xLand <- 30
yLand <- 30
Landscape <- raster(ncol=xLand,nrow=yLand,crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0,xLand,0,yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncells,ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
Vrho.target <- 5
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Raster and plot spatial effects
r.rho <- rasterFromXYZ(cbind(coords,rho))
plot(r.rho)

# Sample the observation sites in the landscape
nsite <- 250
set.seed(seed)
x.coord <- runif(nsite,0,xLand)
set.seed(2*seed)
y.coord <- runif(nsite,0,yLand)

```

```

sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

# = Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
log.lambda <- X %*% beta.target + rho[cells]
lambda <- exp(log.lambda)
set.seed(seed)
Y <- rpois(nsite,lambda)

# = Relative importance of spatial random effects
RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
RImp

# = Data-sets
data.obs <- data.frame(Y,x1,x2,cell=cells)

# =====
# == Site-occupancy model

Start <- Sys.time() # Start the clock
mod.hSDM.poisson.iCAR <- hSDM.poisson.iCAR(counts=data.obs$Y,
                                           suitability=~x1+x2,
                                           spatial.entity=data.obs$cell,
                                           data=data.obs,
                                           n.neighbors=n.neighbors,
                                           neighbors=adj,
                                           suitability.pred=NULL,
                                           spatial.entity.pred=NULL,
                                           burnin=5000, mcmc=5000, thin=5,
                                           beta.start=0,
                                           Vrho.start=1,
                                           mubeta=0, Vbeta=1.0E6,
                                           priorVrho="1/Gamma",
                                           shape=0.5, rate=0.0005,
                                           seed=1234, verbose=1,
                                           save.rho=1, save.p=0)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

# = Computation time
Time.hSDM

# =====
# == Outputs

# = Parameter estimates
summary(mod.hSDM.poisson.iCAR$mcmc)
pdf("Posteriors_hSDM.poisson.iCAR.pdf")

```

```

plot(mod.hSDM.poisson.iCAR$mcmc)
dev.off()

# Predictions
summary(mod.hSDM.poisson.iCAR$lambda.latent)
summary(mod.hSDM.poisson.iCAR$lambda.pred)
pdf(file="Pred-Init.pdf")
plot(lambda,mod.hSDM.poisson.iCAR$lambda.pred)
abline(a=0,b=1,col="red")
dev.off()

# Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.poisson.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.poisson.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

Description

The `hSDM.siteocc` function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) and a *Bernoulli* observability process (referring to various ecological and methodological issues explaining the species detection). The `hSDM.siteocc` function calls a Gibbs sampler

written in C code which uses a Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.siteocc(# Observations
             presence, observability, site, data.observability,
             # Habitat
             suitability, data.suitability,
             # Predictions
             suitability.pred = NULL,
             # Chains
             burnin = 1000, mcmc = 1000, thin = 1,
             # Starting values
             beta.start,
             gamma.start,
             # Priors
             mubeta = 0, Vbeta = 1.0E6,
             mugamma = 0, Vgamma = 1.0E6,
             # Various
             seed = 1234, verbose = 1,
             save.p = 0)
```

Arguments

presence	A vector indicating the presence/absence for each observation.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
site	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
data.observability	A data frame containing the model's variables for the observability process.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
data.suitability	A data frame containing the model's variables for the suitability process.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.

beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the lambda.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Observation process:

$$y_{it} \sim \text{Bernoulli}(z_i * \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_{it} P(y_{it}, N_i \dots))$, is also provided.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each site.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.siteocc()
# Example with simulated data
#####

#####
#== Load libraries
library(hSDM)

#####
#== Data simulation

# Number of observation sites
nsite <- 200

# Set seed for repeatability
seed <- 4321
```

```

#=# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1) # Target parameters
logit.theta <- X %*% beta.target
theta <- inv.logit(logit.theta)
set.seed(seed)
Z <- rbinom(nsite,1,theta)

#=# Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

#=# Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1) # Target parameters
logit.delta <- W %*% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,1,delta*Z[sites])

#=# Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2)

#=====
#== Parameter inference with hSDM
#=====

Start <- Sys.time() # Start the clock
mod.hSDM.siteocc <- hSDM.siteocc(# Observations
                                presence=data.obs$Y,
                                observability=~w1+w2,
                                site=data.obs$site,
                                data.observability=data.obs,
                                # Habitat
                                suitability=~x1+x2,
                                data.suitability=data.suit,
                                # Predictions

```

```

        suitability.pred=NULL,
        # Chains
        burnin=2000, mcmc=2000, thin=2,
        # Starting values
        beta.start=0,
        gamma.start=0,
        # Priors
        mubeta=0, Vbeta=1.0E6,
        mugamma=0, Vgamma=1.0E6,
        # Various
        seed=1234, verbose=1, save.p=0)
Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

# = Computation time
Time.hSDM

# =====
# == Outputs

# = Parameter estimates
summary(mod.hSDM.siteocc$mcmc)
pdf(file="Posteriors_hSDM.siteocc.pdf")
plot(mod.hSDM.siteocc$mcmc)
dev.off()

# = Predictions
summary(mod.hSDM.siteocc$theta.latent)
summary(mod.hSDM.siteocc$delta.latent)
summary(mod.hSDM.siteocc$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.siteocc$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.siteocc.iCAR

Site-occupancy model with CAR process

Description

The hSDM.siteocc.iCAR function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) which takes into account the spatial dependence of the observations, and a *Bernoulli* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.siteocc.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.siteocc.iCAR(# Observations
                  presence, observability, site, data.observability,
                  # Habitat
                  suitability, data.suitability,
                  # Spatial structure
                  spatial.entity,
                  n.neighbors, neighbors,
                  # Predictions
                  suitability.pred = NULL, spatial.entity.pred = NULL,
                  # Chains
                  burnin = 1000, mcmc = 1000, thin = 1,
                  # Starting values
                  beta.start,
                  gamma.start,
                  Vrho.start,
                  # Priors
                  mubeta = 0, Vbeta = 1.0E6,
                  mugamma = 0, Vgamma = 1.0E6,
                  priorVrho = "1/Gamma",
                  shape = 0.5, rate = 0.0005,
                  Vrho.max = 1000,
                  # Various
                  seed = 1234, verbose = 1,
                  save.rho = 0, save.p = 0)

```

Arguments

presence	A vector indicating the presence/absence for each observation.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
site	A vector indicating the site identifier (from one to the total number of sites) for each observation. Several observations can occur at one site. A site can be a raster cell for example.
data.observability	A data frame containing the model's variables for the observability process.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
data.suitability	A data frame containing the model's variables for the suitability process.
spatial.entity	A vector (of length 'n.site') indicating the spatial entity identifier for each site. Values must be between 1 and the total number of spatial entities. Several sites can be found in one spatial entity. A spatial entity can be a raster cell for example.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. length(n.neighbors) indicates the total number of spatial entities.

neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity). Length of the neighbors vector should be equal to sum(n.neighbors).
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector spatial.entity for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.

rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the theta.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_{it} \sim \text{Bernoulli}(z_i * \delta_{it})$$

$$\text{logit}(\delta_{it}) = W_{it}\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
theta.pred	If save.p is set to 0 (default), theta.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, theta.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
theta.latent	Predictive posterior mean of the probability associated to the suitability process for each site.
delta.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Diez, J. M. & Pulliam, H. R. (2007) Hierarchical analysis of species distributions and abundance across environmental gradients *Ecology*, 88, 3144-3152.
- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- Lichstein, J. W.; Simons, T. R.; Shriener, S. A. & Franzreb, K. E. (2002) Spatial autocorrelation and autoregressive models in ecology *Ecological Monographs*, 72, 445-463.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:
#=====
# hSDM.siteocc.iCAR()
```

```

# Example with simulated data
#=====

#=====
#== Load libraries
library(hSDM)
library(raster)
library(sp)

#=====
#== Multivariate normal distribution
rmvn <- function(n, mu = 0, V = matrix(1), seed=1234) {
  p <- length(mu)
  if (any(is.na(match(dim(V), p)))) {
    stop("Dimension problem!")
  }
  D <- chol(V)
  set.seed(seed)
  t(matrix(rnorm(n*p), ncol=p)%*%D+rep(mu, rep(n,p)))
}

#=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Landscape
xLand <- 30
yLand <- 30
Landscape <- raster(ncol=xLand, nrow=yLand, crs='+proj=utm +zone=1')
Landscape[] <- 0
extent(Landscape) <- c(0, xLand, 0, yLand)
coords <- coordinates(Landscape)
ncells <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncells), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0, ncells, ncells)
index.start <- 1
for (i in 1:ncells) {
  index.end <- index.start+n.neighbors[i]-1
  A[i, adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
Vrho.target <- 5
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR

```

```

Q <- diag(n.neighbors)-d*A + diag(.0001,ncells) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvn(1,mu=rep(0,ncells),V=covrho,seed=seed)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Raster and plot spatial effects
r.rho <- rasterFromXYZ(cbind(coords,rho))
plot(r.rho)

# Sample the observation sites in the landscape
nsite <- 250
set.seed(seed)
x.coord <- runif(nsite,0,xLand)
set.seed(2*seed)
y.coord <- runif(nsite,0,yLand)
sites.sp <- SpatialPoints(coords=cbind(x.coord,y.coord))
cells <- extract(Landscape,sites.sp,cell=TRUE)[,1]

# Ecological process (suitability)
set.seed(seed)
x1 <- rnorm(nsite,0,1)
set.seed(2*seed)
x2 <- rnorm(nsite,0,1)
X <- cbind(rep(1,nsite),x1,x2)
beta.target <- c(-1,1,-1)
logit.theta <- X %*% beta.target + rho[cells]
theta <- inv.logit(logit.theta)
set.seed(seed)
Z <- rbinom(nsite,1,theta)

# Relative importance of spatial random effects
RImp <- mean(abs(rho[cells])/abs(X %*% beta.target))
RImp

# Number of visits associated to each observation point
set.seed(seed)
visits <- rpois(nsite,3)
visits[visits==0] <- 1
# Vector of observation points
sites <- vector()
for (i in 1:nsite) {
  sites <- c(sites,rep(i,visits[i]))
}

# Observation process (detectability)
nobs <- sum(visits)
set.seed(seed)
w1 <- rnorm(nobs,0,1)
set.seed(2*seed)
w2 <- rnorm(nobs,0,1)
W <- cbind(rep(1,nobs),w1,w2)
gamma.target <- c(-1,1,-1)

```

```

logit.delta <- W %*% gamma.target
delta <- inv.logit(logit.delta)
set.seed(seed)
Y <- rbinom(nobs,1,delta*Z[sites])

# Data-sets
data.obs <- data.frame(Y,w1,w2,site=sites)
data.suit <- data.frame(x1,x2,cell=cells)

#====
#== Parameter inference with hSDM

Start <- Sys.time() # Start the clock
mod.hSDM.siteocc.iCAR <- hSDM.siteocc.iCAR(# Observations
                                         presence=data.obs$Y,
                                         observability=~w1+w2,
                                         site=data.obs$site,
                                         data.observability=data.obs,
                                         # Habitat
                                         suitability=~x1+x2, data.suitability=data.suit,
                                         # Spatial structure
                                         spatial.entity=data.suit$cell,
                                         n.neighbors=n.neighbors, neighbors=adj,
                                         # Predictions
                                         suitability.pred=NULL,
                                         spatial.entity.pred=NULL,
                                         # Chains
                                         burnin=10000, mcmc=5000, thin=5,
                                         # Starting values
                                         beta.start=0,
                                         gamma.start=0,
                                         Vrho.start=1,
                                         # Priors
                                         mubeta=0, Vbeta=1.0E6,
                                         mugamma=0, Vgamma=1.0E6,
                                         priorVrho="Uniform",
                                         Vrho.max=10,
                                         # Various
                                         seed=1234, verbose=1,
                                         save.rho=1, save.p=0)

Time.hSDM <- difftime(Sys.time(),Start,units="sec") # Time difference

# Computation time
Time.hSDM

#====
#== Outputs

# Parameter estimates
summary(mod.hSDM.siteocc.iCAR$mcmc)
pdf("Posteriors_hSDM.siteocc.iCAR.pdf")
plot(mod.hSDM.siteocc.iCAR$mcmc)
dev.off()

```

```

# = Predictions
summary(mod.hSDM.siteocc.iCAR$theta.latent)
summary(mod.hSDM.siteocc.iCAR$delta.latent)
summary(mod.hSDM.siteocc.iCAR$theta.pred)
pdf(file="Pred-Init.pdf")
plot(theta,mod.hSDM.siteocc.iCAR$theta.pred)
abline(a=0,b=1,col="red")
dev.off()

# = Summary plots for spatial random effects

# rho.pred
rho.pred <- apply(mod.hSDM.siteocc.iCAR$rho.pred,2,mean)
r.rho.pred <- rasterFromXYZ(cbind(coords,rho.pred))

# plot
pdf(file="Summary_hSDM.siteocc.iCAR.pdf")
par(mfrow=c(2,2))
# rho target
plot(r.rho, main="rho target")
plot(sites.sp,add=TRUE)
# rho estimated
plot(r.rho.pred, main="rho estimated")
# correlation and "shrinkage"
Levels.cells <- sort(unique(cells))
plot(rho[-Levels.cells],rho.pred[-Levels.cells],
      xlim=range(rho),
      ylim=range(rho),
      xlab="rho target",
      ylab="rho estimated")
points(rho[Levels.cells],rho.pred[Levels.cells],pch=16,col="blue")
legend(x=-3,y=4,legend="Visited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
dev.off()

## End(Not run)

```

hSDM.ZIB

ZIB (Zero-Inflated Binomial) model

Description

The hSDM.ZIB function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) and a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.ZIB function calls a Gibbs sampler written in C code which uses a Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIB(presences, trials, suitability,
observability, data, suitability.pred=NULL, burnin = 5000, mcmc = 10000,
thin = 10, beta.start, gamma.start, mubeta = 0, Vbeta = 1e+06, mugamma =
0, Vgamma = 1e+06, seed = 1234, verbose = 1, save.p = 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
data	A data frame containing the model's variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.

Vgamma	Variiances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p-length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIB()
# Example with simulated data
#####

#####
#== Preamble
library(hSDM)

#####
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Number of observations
nobs <- 1000

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1) #= This means that theta.2~0.75: 75% of chance to detect the species
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)

# Covariates for "suitability" process
set.seed(seed)
X1 <- rnorm(n=nobs,0,1)
set.seed(2*seed)
X2 <- rnorm(n=nobs,0,1)
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "observability" process
```



```

W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta.1 <- X %*% beta.target
theta.1 <- inv.logit(logit.theta.1)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta.1)

# Observability
set.seed(seed)
trials <- rpois(nobs,5) # Number of trial associated to each observation
trials[trials==0] <- 1
logit.theta.2 <- W %*% gamma.target
theta.2 <- inv.logit(logit.theta.2)
set.seed(seed)
y.2 <- rbinom(nobs,trials,theta.2)

#== Simulating response variable
Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y,trials,X1,X2)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,trials,X1,X2,W1,W2)

#=====
#== ZIB model

mod.hSDM.ZIB <- hSDM.ZIB(presences=Data$Y,
                        trials=Data$trials,
                        suitability=~X1+X2,
                        observability=~1, #=~1+W1+W2 if covariates
                        data=Data,
                        suitability.pred=NULL,
                        burnin=1000, mcmc=1000, thin=5,
                        beta.start=0,
                        gamma.start=0,
                        mubeta=0, Vbeta=1.0E6,
                        mugamma=0, Vgamma=1.0E6,
                        seed=1234, verbose=1,
                        save.p=0)

#=====
#== Outputs
pdf(file="Posteriors_hSDM.ZIB.pdf")

```

```
plot(mod.hSDM.ZIB$mcmc)
dev.off()
summary(mod.hSDM.ZIB$prob.p.latent)
summary(mod.hSDM.ZIB$prob.q.latent)
summary(mod.hSDM.ZIB$prob.p.pred)
```

```
## End(Not run)
```

hSDM.ZIB.iCAR

ZIB (Zero-Inflated Binomial) model with CAR process

Description

The hSDM.ZIB.iCAR function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to environmental suitability) which takes into account the spatial dependence of the observations, and a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.ZIB.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIB.iCAR(presences, trials, suitability,
observability, spatial.entity, data, n.neighbors, neighbors,
suitability.pred=NULL, spatial.entity.pred=NULL, burnin = 5000, mcmc =
10000, thin = 10, beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta
= 1e+06, mugamma = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape =
0.5, rate = 0.0005, Vrho.max=1000, seed = 1234, verbose = 1, save.rho =
0, save.p = 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.

<code>data</code>	A data frame containing the model's variables.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of <code>mcmc</code> iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
<code>mugamma</code>	Means of the Normal priors for the γ parameters of the observability process. <code>mugamma</code> must be either a scalar or a p -length vector. If <code>mugamma</code> takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
<code>Vgamma</code>	Variances of the Normal priors for the γ parameters of the observability process. <code>Vgamma</code> must be either a scalar or a p -length vector. If <code>Vgamma</code> takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i \gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:
#=====
# hSDM.ZIB.iCAR()
```

```

# Example with simulated data
#=====

#=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

#=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1) #= This means that theta.2~0.75: 75% of chance to detect the species
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random

```

```

notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1) # Here, we decided to define one habitat by spatial entity (raster cell)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "observability" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta.1 <- vector()
for (n in 1:nobs) {
  logit.theta.1[n] <- X[n,]*%beta.target+rho[cells[n]]
}
theta.1 <- inv.logit(logit.theta.1)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta.1)

# Observability
set.seed(seed)
trials <- rpois(nobs,5) # Number of trial associated to each observation
trials[trials==0] <- 1
logit.theta.2 <- W*%gamma.target
theta.2 <- inv.logit(logit.theta.2)
set.seed(seed)
y.2 <- rbinom(nobs,trials,theta.2)

#== Simulating response variable
Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y,trials,cells,X1,X2)

```

```

## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y, trials, cells, X1, X2, W1, W2)
Data <- SpatialPointsDataFrame(coords=coords, data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell, X2=X2.cell, cells=c(1:n.cell))

#=====
#== Site-occupancy model

mod.hSDM.ZIB.iCAR <- hSDM.ZIB.iCAR(presences=Data$Y,
                                   trials=Data$trials,
                                   suitability=~X1+X2,
                                   observability=~1,
                                   spatial.entity=Data$cells,
                                   data=Data,
                                   n.neighbors=n.neighbors,
                                   neighbors=adj,
                                   ## suitability.pred=NULL,
                                   ## spatial.entity.pred=NULL,
                                   suitability.pred=Data.pred,
                                   spatial.entity.pred=Data.pred$cells,
                                   burnin=5000, mcmc=5000, thin=5,
                                   beta.start=0,
                                   gamma.start=0,
                                   Vrho.start=10,
                                   priorVrho="1/Gamma",
                                   #priorVrho="Uniform",
                                   #priorVrho=10,
                                   mubeta=0, Vbeta=1.0E6,
                                   mugamma=0, Vgamma=1.0E6,
                                   shape=0.5, rate=0.0005,
                                   #Vrho.max=1000,
                                   seed=1234, verbose=1,
                                   save.rho=1, save.p=0)

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.ZIB.iCAR$mcmc)

#= MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIB.iCAR.pdf")
plot(mod.hSDM.ZIB.iCAR$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIB.iCAR.pdf")
plot(mod.hSDM.ZIB.iCAR$rho.pred)
dev.off()

#= Summary plots

```



```

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIB.iCAR$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- 1
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIB.iCAR$prob.p.pred

pdf(file="Summary_hSDM.ZIB.iCAR.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and presences")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Proba of presence")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
dev.off()

## End(Not run)

```

hSDM.ZIB.iCAR.alteration

ZIB (Zero-Inflated Binomial) model with CAR process taking into account site alteration

Description

The hSDM.ZIB.iCAR.alteration function can be used to model species distribution including different processes in a hierarchical Bayesian framework: (i) a *Bernoulli* suitability process (referring to environmental suitability) which takes into account the spatial dependence of the observations, (ii) an alteration process (referring to anthropogenic disturbances), and (iii) a *Binomial* observability process (referring to various ecological and methodological issues explaining the species detection). The hSDM.ZIB.iCAR.alteration function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIB.iCAR.alteration(presences, trials, suitability,
observability, spatial.entity, alteration, data, n.neighbors, neighbors,
suitability.pred=NULL, spatial.entity.pred=NULL, burnin = 5000, mcmc =
10000, thin = 10, beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta
= 1e+06, mugamma = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape =
0.5, rate = 0.0005, Vrho.max=1000, seed = 1234, verbose = 1, save.rho =
0, save.p = 0)
```

Arguments

presences	A vector indicating the number of successes (or presences) for each observation.
trials	A vector indicating the number of trials for each observation. t_i should be superior to zero and superior or equal to y_i , the number of successes for observation i .
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
observability	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the observability process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
alteration	A vector indicating the proportion of area in the spatial cell which is transformed (by anthropogenic activities for example) for each observation. Must be between 0 and 1.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the neighbors vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.

thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
Vrho.start	Positive scalar indicating the starting value for the variance of the spatial random effects.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.
- MacKenzie, D. I.; Nichols, J. D.; Lachman, G. B.; Droege, S.; Andrew Royle, J. and Langtimm, C. A. (2002) Estimating site occupancy rates when detection probabilities are less than one. *Ecology*, 83, 2248-2255.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIB.iCAR.alteration()
# Example with simulated data
#####

=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1) #= This means that theta.2~0.75: 75% of chance to detect the species
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
```

```

adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1) # Here, we decided to define one habitat by spatial entity (raster cell)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Alteration
U <- runif(n=nobs,min=0,max=1)

# Covariates for "observability" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

```

```

#== Simulating latent variables

# Suitability
logit.theta.1 <- vector()
for (n in 1:nobs) {
  logit.theta.1[n] <- X[n,]%*%beta.target+rho[cells[n]]
}
theta.1 <- inv.logit(logit.theta.1)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta.1)

# Alteration
u <- rbinom(nobs,1,U)

# Observability
set.seed(seed)
trials <- rpois(nobs,5) # Number of trial associated to each observation
trials[trials==0] <- 1
logit.theta.2 <- W*%gamma.target
theta.2 <- inv.logit(logit.theta.2)
set.seed(seed)
y.2 <- rbinom(nobs,trials,theta.2)

#== Simulating response variable
Y <- y.2*(1-u)*y.1

#== Data-set
Data <- data.frame(Y,trials,cells,X1,X2,U)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,trials,cells,X1,X2,W1,W2,U)
Data <- SpatialPointsDataFrame(coords=coords,data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell,X2=X2.cell,cells=c(1:ncell))

#=====
#== Site-occupancy model

mod.hSDM.ZIB.iCAR.alteration <- hSDM.ZIB.iCAR.alteration(presences=Data$Y,
  trials=Data$trials,
  suitability=~X1+X2,
  observability=~1,
  spatial.entity=Data$cells,
  alteration=Data$U,
  data=Data,
  n.neighbors=n.neighbors,
  neighbors=adj,
  ## suitability.pred=NULL,
  ## spatial.entity.pred=NULL,
  suitability.pred=Data.pred,
  spatial.entity.pred=Data.pred$cells,

```

```

burnin=5000, mcmc=5000, thin=5,
beta.start=0,
gamma.start=0,
Vrho.start=10,
priorVrho="1/Gamma",
#priorVrho="Uniform",
#priorVrho=10,
mubeta=0, Vbeta=1.0E6,
mugamma=0, Vgamma=1.0E6,
shape=0.5, rate=0.0005,
#Vrho.max=1000,
seed=1234, verbose=1,
save.rho=1, save.p=0)

#=====
#== Outputs

# Parameter estimates
summary(mod.hSDM.ZIB.iCAR.alteration$mcmc)

# MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIB.iCAR.alteration.pdf")
plot(mod.hSDM.ZIB.iCAR.alteration$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIB.iCAR.alteration.pdf")
plot(mod.hSDM.ZIB.iCAR.alteration$rho.pred)
dev.off()

# Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIB.iCAR.alteration$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- 1
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIB.iCAR.alteration$prob.p.pred

pdf(file="Summary_hSDM.ZIB.iCAR.alteration.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and presences")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")

```



```
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Proba of presence")
plot(Data[Y>0,],add=TRUE,pch=16,cex=0.5)
dev.off()
```

```
## End(Not run)
```

hSDM.ZIP

ZIP (Zero-Inflated Poisson) model

Description

The hSDM.ZIP function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to various ecological variables explaining environmental suitability or not) and a *Poisson* abundance process (referring to various ecological variables explaining the species abundance when the habitat is suitable). The hSDM.ZIP function calls a Gibbs sampler written in C code which uses a Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIP(counts, suitability, abundance, data,
suitability.pred=NULL, burnin = 5000, mcmc = 10000, thin = 10,
beta.start, gamma.start, mubeta = 0, Vbeta = 1e+06, mugamma = 0, Vgamma
= 1e+06, seed = 1234, verbose = 1, save.p = 0)
```

Arguments

counts	A vector indicating the count for each observation.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
abundance	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the abundance process.
data	A data frame containing the model's variables.
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to burnin+mcmc. burnin+mcmc must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.

beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
gamma.start	Starting values for β parameters of the abundance process. This can either be a scalar or a q -length vector.
mubeta	Means of the priors for the β parameters of the suitability process. mubeta must be either a scalar or a p -length vector. If mubeta takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
Vbeta	Variances of the Normal priors for the β parameters of the suitability process. Vbeta must be either a scalar or a p -length vector. If Vbeta takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
mugamma	Means of the Normal priors for the γ parameters of the abundance process. mugamma must be either a scalar or a p -length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the abundance process. Vgamma must be either a scalar or a p -length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to habitat suitability (habitat is suitable or not for the species) and an abundance process that takes into account ecological variables explaining the species abundance when the habitat is suitable.

Suitability process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta$$

Abundance process:

$$y_i \sim \text{Poisson}(z_i * \lambda_i)$$

$$\text{log}(\lambda_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the abundance process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

Flores, O.; Rossi, V. and Mortier, F. (2009) Autocorrelation offsets zero-inflation in models of tropical saplings density. *Ecological Modelling*, 220, 1797-1809.

Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIP()
# Example with simulated data
#####

#####
#== Preamble
library(hSDM)

#####
#== Data simulation

# Set seed for repeatability
```

```

seed <- 1234

# Number of observations
nobs <- 1000

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1)
## Uncomment if you want covariates on the abundance process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)

# Covariates for "suitability" process
set.seed(seed)
X1 <- rnorm(n=nobs,0,1)
set.seed(2*seed)
X2 <- rnorm(n=nobs,0,1)
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "abundance" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the abundance process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta <- X %%% beta.target
theta <- inv.logit(logit.theta)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta)

# Abundance
set.seed(seed)
log.lambda <- W %%% gamma.target
lambda <- exp(log.lambda)
set.seed(seed)
y.2 <- rpois(nobs,lambda)

#== Simulating response variable
Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y,X1,X2)
## Uncomment if you want covariates on the abundance process
## Data <- data.frame(Y,X1,X2,W1,W2)

#=====
#== ZIP model

```

```

mod.hSDM.ZIP <- hSDM.ZIP(counts=Data$Y,
  suitability=~X1+X2,
  abundance=~1, #=~1+W1+W2 if covariates
  data=Data,
  suitability.pred=NULL,
  burnin=1000, mcmc=1000, thin=5,
  beta.start=0,
  gamma.start=0,
  mubeta=0, Vbeta=1.0E6,
  mugamma=0, Vgamma=1.0E6,
  seed=1234, verbose=1,
  save.p=0)

#=====
#== Outputs
pdf(file="Posteriors_hSDM.ZIP.pdf")
plot(mod.hSDM.ZIP$mcmc)
dev.off()
summary(mod.hSDM.ZIP$prob.p.latent)
summary(mod.hSDM.ZIP$prob.q.latent)
summary(mod.hSDM.ZIP$prob.p.pred)

## End(Not run)

```

hSDM.ZIP.iCAR

ZIP (Zero-Inflated Poisson) model with CAR process

Description

The hSDM.ZIP.iCAR function can be used to model species distribution including different processes in a hierarchical Bayesian framework: a *Bernoulli* suitability process (referring to various ecological variables explaining environmental suitability or not) which takes into account the spatial dependence of the observations, and a *Poisson* abundance process (referring to various ecological variables explaining the species abundance when the habitat is suitable). The hSDM.ZIP.iCAR function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```

hSDM.ZIP.iCAR(counts, suitability, abundance, spatial.entity,
  data, n.neighbors, neighbors, suitability.pred=NULL,
  spatial.entity.pred=NULL, burnin = 5000, mcmc = 10000, thin = 10,
  beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta = 1e+06, mugamma
  = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape = 0.5, rate = 0.0005,
  Vrho.max=1000, seed = 1234, verbose = 1, save.rho = 0, save.p = 0)

```

Arguments

<code>counts</code>	A vector indicating the count for each observation.
<code>suitability</code>	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
<code>abundance</code>	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the abundance process.
<code>spatial.entity</code>	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
<code>data</code>	A data frame containing the model's variables.
<code>n.neighbors</code>	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
<code>neighbors</code>	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the <code>neighbors</code> vector should be equal to <code>sum(n.neighbors)</code> .
<code>suitability.pred</code>	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
<code>spatial.entity.pred</code>	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
<code>burnin</code>	The number of burnin iterations for the sampler.
<code>mcmc</code>	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
<code>thin</code>	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
<code>beta.start</code>	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.
<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.

mugamma	Means of the Normal priors for the γ parameters of the observability process. mugamma must be either a scalar or a p-length vector. If mugamma takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
Vgamma	Variances of the Normal priors for the γ parameters of the observability process. Vgamma must be either a scalar or a p-length vector. If Vgamma takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
priorVrho	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters shape and rate, or to a uniform distribution ("Uniform") on the interval [0,Vrho.max]. Default set to "1/Gamma".
shape	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is shape=0.05 for uninformative prior.
rate	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is rate=0.0005 for uninformative prior.
Vrho.max	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
seed	The seed for the random number generator. Default set to 1234.
verbose	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
save.rho	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the rho.pred vector. Be careful, setting save.rho to 1 might require a large amount of memory.
save.p	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the prob.p.pred vector. Be careful, setting save.p to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to habitat suitability (habitat is suitable or not for the species) and an abundance process that takes into account ecological variables explaining the species abundance when the habitat is suitable. The suitability process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the suitability at one site depends on the suitability on neighboring sites.

Suitability process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Abundance process:

$$y_i \sim \text{Poisson}(z_i * \lambda_i)$$

$$\log(\lambda_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Flores, O.; Rossi, V. and Mortier, F. (2009) Autocorrelation offsets zero-inflation in models of tropical saplings density. *Ecological Modelling*, 220, 1797-1809.
- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```

## Not run:

#####
# hSDM.ZIP.iCAR()
# Example with simulated data
#####

=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1) #= This means that theta.2~0.75: 75% of chance to detect the species
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)

```

```

rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1) # Here, we decided to define one habitat by spatial entity (raster cell)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Covariates for "abundance" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

#== Simulating latent variables

# Suitability
logit.theta <- vector()
for (n in 1:nobs) {
  logit.theta[n] <- X[n,]*%beta.target+rho[cells[n]]
}
theta <- inv.logit(logit.theta)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta)

# Abundance
set.seed(seed)
log.lambda <- W %%% gamma.target
lambda <- exp(log.lambda)
set.seed(seed)
y.2 <- rpois(nobs,lambda)

```

```

#== Simulating response variable
Y <- y.2*y.1

#== Data-set
Data <- data.frame(Y,cells,X1,X2)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,cells,X1,X2,W1,W2)
Data <- SpatialPointsDataFrame(coords=coords,data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell,X2=X2.cell,cells=c(1:ncell))

#=====
#== ZIP model with CAR

mod.hSDM.ZIP.iCAR <- hSDM.ZIP.iCAR(counts=Data$Y,
                                   suitability=~X1+X2,
                                   abundance=~1,
                                   spatial.entity=Data$cells,
                                   data=Data,
                                   n.neighbors=n.neighbors,
                                   neighbors=adj,
                                   suitability.pred=Data.pred,
                                   spatial.entity.pred=Data.pred$cells,
                                   burnin=5000, mcmc=5000, thin=5,
                                   beta.start=0,
                                   gamma.start=0,
                                   Vrho.start=10,
                                   priorVrho="1/Gamma",
                                   #priorVrho="Uniform",
                                   #priorVrho=10,
                                   mubeta=0, Vbeta=1.0E6,
                                   mugamma=0, Vgamma=1.0E6,
                                   shape=0.5, rate=0.0005,
                                   #Vrho.max=1000,
                                   seed=1234, verbose=1,
                                   save.rho=1, save.p=0)

#=====
#== Outputs

#= Parameter estimates
summary(mod.hSDM.ZIP.iCAR$mcmc)

#= MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIP.iCAR.pdf")
plot(mod.hSDM.ZIP.iCAR$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIP.iCAR.pdf")
plot(mod.hSDM.ZIP.iCAR$rho.pred)
dev.off()

```

```

#=# Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIP.iCAR$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- tapply(Data$Y,Data$cells,mean)
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIP.iCAR$prob.p.pred

pdf(file="Summary_hSDM.ZIP.iCAR.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Predicted counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
dev.off()

## End(Not run)

```

hSDM.ZIP.iCAR.alteration

ZIP (Zero-Inflated Poisson) model with CAR process taking into account site alteration

Description

The hSDM.ZIP.iCAR.alteration function can be used to model species distribution including different processes in a hierarchical Bayesian framework: (i) a *Bernoulli* suitability process (referring to various ecological variables explaining environmental suitability or not) which takes into account the spatial dependence of the observations, (ii) an alteration process (referring to anthropogenic disturbances), and (iii) a *Poisson* abundance process (referring to various ecological variables explaining the species abundance when the habitat is suitable). The hSDM.ZIP.iCAR.alteration function calls a Gibbs sampler written in C code which uses an adaptive Metropolis algorithm to estimate the conditional posterior distribution of hierarchical model's parameters.

Usage

```
hSDM.ZIP.iCAR.alteration(counts, suitability, abundance,
  spatial.entity, alteration, data, n.neighbors, neighbors,
  suitability.pred=NULL, spatial.entity.pred=NULL, burnin = 5000, mcmc =
  10000, thin = 10, beta.start, gamma.start, Vrho.start, mubeta = 0, Vbeta
  = 1e+06, mugamma = 0, Vgamma = 1e+06, priorVrho = "1/Gamma", shape =
  0.5, rate = 0.0005, Vrho.max=1000, seed = 1234, verbose = 1, save.rho =
  0, save.p = 0)
```

Arguments

counts	A vector indicating the count for each observation.
suitability	A one-sided formula of the form $\sim x_1 + \dots + x_p$ with p terms specifying the explicative variables for the suitability process.
abundance	A one-sided formula of the form $\sim w_1 + \dots + w_q$ with q terms specifying the explicative variables for the abundance process.
spatial.entity	A vector indicating the spatial entity identifier (from one to the total number of entities) for each observation. Several observations can occur in one spatial entity. A spatial entity can be a raster cell for example.
alteration	A vector indicating the proportion of area in the spatial cell which is transformed (by anthropogenic activities for example) for each observation. Must be between 0 and 1.
data	A data frame containing the model's variables.
n.neighbors	A vector of integers that indicates the number of neighbors (adjacent entities) of each spatial entity. <code>length(n.neighbors)</code> indicates the total number of spatial entities.
neighbors	A vector of integers indicating the neighbors (adjacent entities) of each spatial entity. Must be of the form <code>c(neighbors of entity 1, neighbors of entity 2, ... , neighbors of the last entity)</code> . Length of the neighbors vector should be equal to <code>sum(n.neighbors)</code> .
suitability.pred	An optional data frame in which to look for variables with which to predict. If NULL, the observations are used.
spatial.entity.pred	An optional vector indicating the spatial entity identifier (from one to the total number of entities) for predictions. If NULL, the vector <code>spatial.entity</code> for observations is used.
burnin	The number of burnin iterations for the sampler.
mcmc	The number of Gibbs iterations for the sampler. Total number of Gibbs iterations is equal to <code>burnin+mcmc</code> . <code>burnin+mcmc</code> must be divisible by 10 and superior or equal to 100 so that the progress bar can be displayed.
thin	The thinning interval used in the simulation. The number of mcmc iterations must be divisible by this value.
beta.start	Starting values for β parameters of the suitability process. This can either be a scalar or a p -length vector.

<code>gamma.start</code>	Starting values for β parameters of the observability process. This can either be a scalar or a q -length vector.
<code>Vrho.start</code>	Positive scalar indicating the starting value for the variance of the spatial random effects.
<code>mubeta</code>	Means of the priors for the β parameters of the suitability process. <code>mubeta</code> must be either a scalar or a p -length vector. If <code>mubeta</code> takes a scalar value, then that value will serve as the prior mean for all of the betas. The default value is set to 0 for an uninformative prior.
<code>Vbeta</code>	Variiances of the Normal priors for the β parameters of the suitability process. <code>Vbeta</code> must be either a scalar or a p -length vector. If <code>Vbeta</code> takes a scalar value, then that value will serve as the prior variance for all of the betas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
<code>mugamma</code>	Means of the Normal priors for the γ parameters of the observability process. <code>mugamma</code> must be either a scalar or a p -length vector. If <code>mugamma</code> takes a scalar value, then that value will serve as the prior mean for all of the gammas. The default value is set to 0 for an uninformative prior.
<code>Vgamma</code>	Variiances of the Normal priors for the γ parameters of the observability process. <code>Vgamma</code> must be either a scalar or a p -length vector. If <code>Vgamma</code> takes a scalar value, then that value will serve as the prior variance for all of the gammas. The default variance is large and set to 1.0E6 for an uninformative flat prior.
<code>priorVrho</code>	Type of prior for the variance of the spatial random effects. Can be set to a fixed positive scalar, or to an inverse-gamma distribution ("1/Gamma") with parameters <code>shape</code> and <code>rate</code> , or to a uniform distribution ("Uniform") on the interval $[0, Vrho.max]$. Default set to "1/Gamma".
<code>shape</code>	The shape parameter for the Gamma prior on the precision of the spatial random effects. Default value is <code>shape=0.05</code> for uninformative prior.
<code>rate</code>	The rate (1/scale) parameter for the Gamma prior on the precision of the spatial random effects. Default value is <code>rate=0.0005</code> for uninformative prior.
<code>Vrho.max</code>	Upper bound for the uniform prior of the spatial random effect variance. Default set to 1000.
<code>seed</code>	The seed for the random number generator. Default set to 1234.
<code>verbose</code>	A switch (0,1) which determines whether or not the progress of the sampler is printed to the screen. Default is 1: a progress bar is printed, indicating the step (in %) reached by the Gibbs sampler.
<code>save.rho</code>	A switch (0,1) which determines whether or not the sampled values for rhos are saved. Default is 0: the posterior mean is computed and returned in the <code>rho.pred</code> vector. Be careful, setting <code>save.rho</code> to 1 might require a large amount of memory.
<code>save.p</code>	A switch (0,1) which determines whether or not the sampled values for predictions are saved. Default is 0: the posterior mean is computed and returned in the <code>prob.p.pred</code> vector. Be careful, setting <code>save.p</code> to 1 might require a large amount of memory.

Details

The model integrates two processes, an ecological process associated to the presence or absence of the species due to habitat suitability and an observation process that takes into account the fact that the probability of detection of the species is inferior to one. The ecological process includes an intrinsic conditional autoregressive model (iCAR) model for spatial autocorrelation between observations, assuming that the probability of presence of the species at one site depends on the probability of presence of the species on neighboring sites.

Ecological process:

$$z_i \sim \text{Bernoulli}(\theta_i)$$

$$\text{logit}(\theta_i) = X_i\beta + \rho_{j(i)}$$

ρ_j : spatial random effect

$j(i)$: index of the spatial entity for observation i .

Spatial autocorrelation:

An intrinsic conditional autoregressive model (iCAR) is assumed:

$$\rho_j \sim \text{Normal}(\mu_j, V_\rho/n_j)$$

μ_j : mean of $\rho_{j'}$ in the neighborhood of j .

V_ρ : variance of the spatial random effects.

n_j : number of neighbors for spatial entity j .

Observation process:

$$y_i \sim \text{Binomial}(z_i * \delta_i, t_i)$$

$$\text{logit}(\delta_i) = W_i\gamma$$

Value

mcmc	An mcmc object that contains the posterior sample. This object can be summarized by functions provided by the coda package. The posterior sample of the deviance D , with $D = -2 \log(\prod_i P(y_i, z_i \dots))$, is also provided.
rho.pred	If save.rho is set to 0 (default), rho.pred is the predictive posterior mean of the spatial random effect associated to each spatial entity. If save.rho is set to 1, rho.pred is an mcmc object with sampled values for each spatial random effect associated to each spatial entity.
prob.p.pred	If save.p is set to 0 (default), prob.p.pred is the predictive posterior mean of the probability associated to the suitability process for each prediction. If save.p is set to 1, prob.p.pred is an mcmc object with sampled values of the probability associated to the suitability process for each prediction.
prob.p.latent	Predictive posterior mean of the probability associated to the suitability process for each observation.
prob.q.latent	Predictive posterior mean of the probability associated to the observability process for each observation.

Author(s)

Ghislain Vieilledent <ghislain.vieilledent@cirad.fr>

References

- Flores, O.; Rossi, V. and Mortier, F. (2009) Autocorrelation offsets zero-inflation in models of tropical saplings density. *Ecological Modelling*, 220, 1797-1809.
- Gelfand, A. E.; Schmidt, A. M.; Wu, S.; Silander, J. A.; Latimer, A. and Rebelo, A. G. (2005) Modelling species diversity through species level hierarchical modelling. *Applied Statistics*, 54, 1-20.
- Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

See Also

[plot.mcmc](#), [summary.mcmc](#)

Examples

```
## Not run:

#####
# hSDM.ZIP.iCAR.alteration()
# Example with simulated data
#####

=====
#== Preamble
library(hSDM)
library(raster)
library(sp)
library(mvtnorm)

=====
#== Data simulation

# Set seed for repeatability
seed <- 1234

# Target parameters
beta.target <- matrix(c(0.2,0.5,0.5),ncol=1)
gamma.target <- matrix(c(1),ncol=1) #= This means that theta.2~0.75: 75% of chance to detect the species
## Uncomment if you want covariates on the observability process
## gamma.target <- matrix(c(0.2,0.5,0.5),ncol=1)
Vrho.target <- 1 # Spatial Variance

# Landscape
Landscape <- raster(ncol=20,nrow=20,crs='+proj=utm +zone=1')
ncell <- ncell(Landscape)

# Neighbors
neighbors.mat <- adjacent(Landscape, cells=c(1:ncell), directions=8, pairs=TRUE, sorted=TRUE)
n.neighbors <- as.data.frame(table(as.factor(neighbors.mat[,1])))[,2]
adj <- neighbors.mat[,2]
```



```

# Generate symmetric adjacency matrix, A
A <- matrix(0,ncell,ncell)
index.start <- 1
for (i in 1:ncell) {
  index.end <- index.start+n.neighbors[i]-1
  A[i,adj[c(index.start:index.end)]] <- 1
  index.start <- index.end+1
}

# Spatial effects
d <- 1 # Spatial dependence parameter = 1 for intrinsic CAR
Q <- diag(n.neighbors)-d*A + diag(.0001,ncell) # Add small constant to make Q non-singular
covrho <- Vrho.target*solve(Q) # Covariance of rhos
set.seed(seed)
rho <- c(rmvnorm(1,sigma=covrho)) # Spatial Random Effects
rho <- rho-mean(rho) # Centering rhos on zero

# Visited cells
n.visited <- 150 # Compare with 400, 350 and 100 for example
set.seed(seed)
visited.cells <- sort(sample(1:ncell,n.visited,replace=FALSE)) # Draw visited cells at random
notvisited.cells <- c(1:ncell)[-visited.cells]

# Number of observations
nobs <- 300

# Cell vector
set.seed(seed)
cells <- c(visited.cells,sample(visited.cells,nobs-n.visited,replace=TRUE))
coords <- xyFromCell(Landscape,cells) # Get coordinates

# Covariates for "suitability" process
set.seed(seed)
X1.cell <- rnorm(n=ncell,0,1) # Here, we decided to define one habitat by spatial entity (raster cell)
set.seed(2*seed)
X2.cell <- rnorm(n=ncell,0,1)
X1 <- X1.cell[cells]
X2 <- X2.cell[cells]
X <- cbind(rep(1,nobs),X1,X2)

# Alteration
U <- runif(n=nobs,min=0,max=1)

# Covariates for "abundance" process
W <- cbind(rep(1,nobs))
## Uncomment if you want covariates on the observability process
## set.seed(3*seed)
## W1 <- rnorm(n=nobs,0,1)
## set.seed(4*seed)
## W2 <- rnorm(n=nobs,0,1)
## W <- cbind(rep(1,nobs),W1,W2)

```

```

#== Simulating latent variables

# Suitability
logit.theta <- vector()
for (n in 1:nobs) {
  logit.theta[n] <- X[n,]*%beta.target+rho[cells[n]]
}
theta <- inv.logit(logit.theta)
set.seed(seed)
y.1 <- rbinom(nobs,1,theta)

# Alteration
u <- rbinom(nobs,1,U)

# Abundance
set.seed(seed)
log.lambda <- W %%% gamma.target
lambda <- exp(log.lambda)
set.seed(seed)
y.2 <- rpois(nobs,lambda)

#== Simulating response variable
Y <- y.2*(1-u)*y.1

#== Data-set
Data <- data.frame(Y,cells,X1,X2,U)
## Uncomment if you want covariates on the observability process
## Data <- data.frame(Y,cells,X1,X2,W1,W2,U)
Data <- SpatialPointsDataFrame(coords=coords,data=Data)
plot(Data)

#== Data-set for predictions (suitability on each spatial cell)
Data.pred <- data.frame(X1=X1.cell,X2=X2.cell,cells=c(1:ncell))

#=====
#== Site-occupancy model

mod.hSDM.ZIP.iCAR.alteration <- hSDM.ZIP.iCAR.alteration(counts=Data$Y,
  suitability=~X1+X2,
  abundance=~1,
  spatial.entity=Data$cells,
  alteration=Data$U,
  data=Data,
  n.neighbors=n.neighbors,
  neighbors=adj,
  ## suitability.pred=NULL,
  ## spatial.entity.pred=NULL,
  suitability.pred=Data.pred,
  spatial.entity.pred=Data.pred$cells,
  burnin=5000, mcmc=5000, thin=5,
  beta.start=0,
  gamma.start=0,
  Vrho.start=10,

```

```

priorVrho="1/Gamma",
#priorVrho="Uniform",
#priorVrho=10,
mubeta=0, Vbeta=1.0E6,
mugamma=0, Vgamma=1.0E6,
shape=0.5, rate=0.0005,
#Vrho.max=1000,
seed=1234, verbose=1,
save.rho=1, save.p=0)

#=====
#== Outputs

# Parameter estimates
summary(mod.hSDM.ZIP.iCAR.alteration$mcmc)

# MCMC and posteriors
pdf(file="Posteriors_hSDM.ZIP.iCAR.alteration.pdf")
plot(mod.hSDM.ZIP.iCAR.alteration$mcmc)
dev.off()

pdf(file="Posteriors.rho_hSDM.ZIP.iCAR.alteration.pdf")
plot(mod.hSDM.ZIP.iCAR.alteration$rho.pred)
dev.off()

# Summary plots

# rho
r.rho <- r.rho.pred <- r.visited <- Landscape
r.rho[] <- rho
rho.pred <- apply(mod.hSDM.ZIP.iCAR.alteration$rho.pred,2,mean)
r.rho.pred[] <- rho.pred
r.visited[] <- 0
r.visited[visited.cells] <- tapply(Data$Y,Data$cells,mean)
# prob.p
r.prob.p <- Landscape
r.prob.p[] <- mod.hSDM.ZIP.iCAR.alteration$prob.p.pred

pdf(file="Summary_hSDM.ZIP.iCAR.alteration.pdf")
par(mfrow=c(3,2))
plot(r.rho, main="rho target")
plot(r.visited,main="Visited cells and counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
plot(r.rho.pred, main="rho estimated")
plot(rho[visited.cells],rho.pred[visited.cells],
      xlab="rho target",
      ylab="rho estimated")
points(rho[notvisited.cells],rho.pred[notvisited.cells],pch=16,col="blue")
legend(x=-4,y=3.5,legend="Unvisited cells",col="blue",pch=16,bty="n")
abline(a=0,b=1,col="red")
plot(r.prob.p,main="Predicted counts")
plot(Data,add=TRUE,pch=16,cex=0.5)
dev.off()

```

```
## End(Not run)
```

logit
Generalized logit and inverse logit function

Description

Compute generalized logit and generalized inverse logit functions.

Usage

```
logit(x, min = 0, max = 1)
inv.logit(x, min = 0, max = 1)
```

Arguments

x	value(s) to be transformed
min	Lower end of logit interval
max	Upper end of logit interval

Details

The generalized logit function takes values on [min, max] and transforms them to span [-Inf,Inf] it is defined as:

$$y = \log\left(\frac{p}{1-p}\right)$$

where

$$p = \frac{(x - \text{min})}{(\text{max} - \text{min})}$$

The generalized inverse logit function provides the inverse transformation:

$$x = p'(\text{max} - \text{min}) + \text{min}$$

where

$$p' = \frac{\exp(y)}{(1 + \exp(y))}$$

Value

Transformed value(s).

Author(s)

Gregory R. Warnes <greg@warnes.net>

Examples

```
## Not run:
x <- seq(0,10, by=0.25)
xt <- logit(x, min=0, max=10)
cbind(x,xt)

y <- inv.logit(xt, min=0, max=10)
cbind(x,xt,y)

## End(Not run)
```

neighbors.Latimer2006 *Neighborhood data (from Latimer et al. 2006)*

Description

Data come from a small region including 476 one minute by one minute grid cells. This region is a small corner of South Africa's Cape Floristic Region, and includes very high plant species diversity and a World Biosphere Reserve. The data frame can be used as an example for several functions in the hSDM package.

Usage

```
neighbors.Latimer2006
```

Format

neighbors.Latimer2006 is a vector of 3542 integers indicating the neighbors (adjacent cells) of each spatial cell. The vector is of the form c(neighbors of cell 1, neighbors of cell 2, ... , neighbors of the last cell).

Source

Latimer et al. (2006) *Ecological Applications*, Appendix B

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

punc10

Occurrence data for Protea punctata Meisn. in the Cap Floristic Region

Description

The species data were collected by the Protea Atlas Project of South Africa's National Botanical Institute.

Usage

punc10

Format

`cfr.env` is a data frame with 2934 presence-absence observation points.

Occurrence presence (1) or absence (0) of the species

lon longitude

lat latitude

Source

Cory Merow's personal data

References

Latimer, A. M.; Wu, S. S.; Gelfand, A. E. and Silander, J. A. (2006) Building statistical models to analyze species distributions. *Ecological Applications*, 16, 33-50.

Index

*Topic **Binomial logistic regression**

hSDM.binomial, [7](#)
hSDM.binomial.iCAR, [10](#)

*Topic **MCMC**

hSDM-package, [2](#)
hSDM.binomial, [7](#)
hSDM.binomial.iCAR, [10](#)
hSDM.Nmixture, [17](#)
hSDM.Nmixture.iCAR, [22](#)
hSDM.poisson, [31](#)
hSDM.poisson.iCAR, [34](#)
hSDM.siteocc, [40](#)
hSDM.siteocc.iCAR, [45](#)
hSDM.ZIB, [53](#)
hSDM.ZIB.iCAR, [58](#)
hSDM.ZIB.iCAR.alteration, [65](#)
hSDM.ZIP, [73](#)
hSDM.ZIP.iCAR, [77](#)
hSDM.ZIP.iCAR.alteration, [84](#)

*Topic **Markov Chains Monte Carlo**

hSDM-package, [2](#)
hSDM.binomial, [7](#)
hSDM.binomial.iCAR, [10](#)
hSDM.Nmixture, [17](#)
hSDM.Nmixture.iCAR, [22](#)
hSDM.poisson, [31](#)
hSDM.poisson.iCAR, [34](#)
hSDM.siteocc, [40](#)
hSDM.siteocc.iCAR, [45](#)
hSDM.ZIB, [53](#)
hSDM.ZIB.iCAR, [58](#)
hSDM.ZIB.iCAR.alteration, [65](#)
hSDM.ZIP, [73](#)
hSDM.ZIP.iCAR, [77](#)
hSDM.ZIP.iCAR.alteration, [84](#)

*Topic **Metropolis algorithm**

hSDM-package, [2](#)
hSDM.binomial, [7](#)
hSDM.binomial.iCAR, [10](#)

hSDM.Nmixture, [17](#)
hSDM.Nmixture.iCAR, [22](#)
hSDM.poisson, [31](#)
hSDM.poisson.iCAR, [34](#)
hSDM.siteocc, [40](#)
hSDM.siteocc.iCAR, [45](#)
hSDM.ZIB, [53](#)
hSDM.ZIB.iCAR, [58](#)
hSDM.ZIB.iCAR.alteration, [65](#)
hSDM.ZIP, [73](#)
hSDM.ZIP.iCAR, [77](#)
hSDM.ZIP.iCAR.alteration, [84](#)

*Topic **N-mixture models**

hSDM.Nmixture, [17](#)
hSDM.Nmixture.iCAR, [22](#)

*Topic **Poisson log regression**

hSDM.poisson.iCAR, [34](#)

*Topic **Poisson regression**

hSDM.poisson, [31](#)

*Topic **ZIB models**

hSDM.ZIB, [53](#)
hSDM.ZIB.iCAR, [58](#)
hSDM.ZIB.iCAR.alteration, [65](#)
hSDM.ZIP.iCAR.alteration, [84](#)

*Topic **ZIP models**

hSDM.ZIP, [73](#)
hSDM.ZIP.iCAR, [77](#)

*Topic **Zero-Inflated Binomial models**

hSDM.ZIB, [53](#)
hSDM.ZIB.iCAR, [58](#)
hSDM.ZIB.iCAR.alteration, [65](#)
hSDM.ZIP.iCAR.alteration, [84](#)

*Topic **Zero-Inflated Poisson models**

hSDM.ZIP.iCAR, [77](#)

*Topic **biodiversity**

hSDM-package, [2](#)
hSDM.binomial, [7](#)
hSDM.binomial.iCAR, [10](#)
hSDM.Nmixture, [17](#)

- hSDM.Nmixture.iCAR, 22
- hSDM.poisson, 31
- hSDM.poisson.iCAR, 34
- hSDM.siteocc, 40
- hSDM.siteocc.iCAR, 45
- hSDM.ZIB, 53
- hSDM.ZIB.iCAR, 58
- hSDM.ZIB.iCAR.alteration, 65
- hSDM.ZIP, 73
- hSDM.ZIP.iCAR, 77
- hSDM.ZIP.iCAR.alteration, 84
- *Topic **conditional autoregressive model**
 - hSDM-package, 2
 - hSDM.binomial.iCAR, 10
 - hSDM.Nmixture.iCAR, 22
 - hSDM.poisson.iCAR, 34
 - hSDM.siteocc.iCAR, 45
 - hSDM.ZIB.iCAR, 58
 - hSDM.ZIB.iCAR.alteration, 65
 - hSDM.ZIP.iCAR, 77
 - hSDM.ZIP.iCAR.alteration, 84
- *Topic **datasets**
 - altitude, 3
 - cfr.env, 4
 - data.Kery2010, 5
 - datacells.Latimer2006, 6
 - neighbors.Latimer2006, 93
 - punc10, 94
- *Topic **hierarchical Bayesian models**
 - hSDM-package, 2
 - hSDM.binomial, 7
 - hSDM.binomial.iCAR, 10
 - hSDM.Nmixture, 17
 - hSDM.Nmixture.iCAR, 22
 - hSDM.poisson, 31
 - hSDM.poisson.iCAR, 34
 - hSDM.siteocc, 40
 - hSDM.siteocc.iCAR, 45
 - hSDM.ZIB, 53
 - hSDM.ZIB.iCAR, 58
 - hSDM.ZIB.iCAR.alteration, 65
 - hSDM.ZIP, 73
 - hSDM.ZIP.iCAR, 77
 - hSDM.ZIP.iCAR.alteration, 84
- *Topic **intrinsic CAR model**
 - hSDM-package, 2
 - hSDM.binomial.iCAR, 10
 - hSDM.Nmixture.iCAR, 22
 - hSDM.poisson.iCAR, 34
 - hSDM.siteocc.iCAR, 45
 - hSDM.ZIB.iCAR, 58
 - hSDM.ZIB.iCAR.alteration, 65
 - hSDM.ZIP.iCAR, 77
 - hSDM.ZIP.iCAR.alteration, 84
- *Topic **math**
 - logit, 92
- *Topic **site occupancy models**
 - hSDM.siteocc.iCAR, 45
 - hSDM.ZIP.iCAR, 77
 - hSDM.ZIP.iCAR.alteration, 84
- *Topic **site-occupancy models**
 - hSDM.siteocc, 40
- *Topic **spatial correlation**
 - hSDM-package, 2
 - hSDM.binomial.iCAR, 10
 - hSDM.Nmixture.iCAR, 22
 - hSDM.poisson.iCAR, 34
 - hSDM.siteocc.iCAR, 45
 - hSDM.ZIB.iCAR, 58
 - hSDM.ZIB.iCAR.alteration, 65
 - hSDM.ZIP.iCAR, 77
 - hSDM.ZIP.iCAR.alteration, 84
- *Topic **species distribution models**
 - hSDM-package, 2
 - hSDM.binomial, 7
 - hSDM.binomial.iCAR, 10
 - hSDM.Nmixture, 17
 - hSDM.Nmixture.iCAR, 22
 - hSDM.poisson, 31
 - hSDM.poisson.iCAR, 34
 - hSDM.siteocc, 40
 - hSDM.siteocc.iCAR, 45
 - hSDM.ZIB, 53
 - hSDM.ZIB.iCAR, 58
 - hSDM.ZIB.iCAR.alteration, 65
 - hSDM.ZIP, 73
 - hSDM.ZIP.iCAR, 77
 - hSDM.ZIP.iCAR.alteration, 84
- altitude, 3
- cfr.env, 4
- data.Kery2010, 5
- datacells.Latimer2006, 6
- hSDM (hSDM-package), 2

hSDM-package, [2](#)
hSDM.binomial, [7](#)
hSDM.binomial.iCAR, [10](#)
hSDM.Nmixture, [17](#)
hSDM.Nmixture.iCAR, [22](#)
hSDM.poisson, [31](#)
hSDM.poisson.iCAR, [34](#)
hSDM.siteocc, [40](#)
hSDM.siteocc.iCAR, [45](#)
hSDM.ZIB, [53](#)
hSDM.ZIB.iCAR, [58](#)
hSDM.ZIB.iCAR.alteration, [65](#)
hSDM.ZIP, [73](#)
hSDM.ZIP.iCAR, [77](#)
hSDM.ZIP.iCAR.alteration, [84](#)

inv.logit (logit), [92](#)

logit, [92](#)

neighbors.Latimer2006, [93](#)

plot.mcmc, [8](#), [13](#), [20](#), [26](#), [32](#), [37](#), [43](#), [49](#), [56](#),
[61](#), [69](#), [75](#), [80](#), [88](#)

punc10, [94](#)

summary.mcmc, [8](#), [13](#), [20](#), [26](#), [32](#), [37](#), [43](#), [49](#),
[56](#), [61](#), [69](#), [75](#), [80](#), [88](#)